



STANLEY KRAMER THEATER

SUNSET GOWER STUDIOS

Sunset Gower Studios embraces the art of filmmaking by providing the ultimate movie viewing experience in our posh, new theater.

Dedicated to prolific producer and director Stanley Kramer who created many of his legendary Columbia films on this celebrated studio lot; our 70, ultra-comfortable, seat theater will turn your next screening into a feature event.

Fully equipped and located in the heart of Hollywood, it comes complete with the SIM2 HT5000 HD projector representing state-of-the-art in image processing combined with the innovative DLP system and outstanding optics.

The Stanley Kramer Theater with its intimate lobby can accommodate viewing needs for dailies, press and private screenings, film festivals, meetings, seminars and special events.

Ample parking in our secured structure is available on site. Valet service can readily be offered upon request.

Sunset Gower Studios also offers 12 sound stages and 415,000 square feet of office, support and post production space on its prestigious 16 acres.

Sunset Gower Studios
Stanley Kramer Theater
1438 N. Gower Street
Hollywood, CA 90028
www.sunsetgower.com

Booking inquiries, please contact
Terri Melkonian, VP Sales and Marketing
323.467.1001 Ext. 3236
terri_melkonian@sunsetgower.com



M-F Day Rate: 9am – 5:00 pm
\$250 Per Hour
No Charge for Testing

Weekday Evening and Weekend Rate
\$300 Per Hour
No Charge for Testing

Above rates include the operator and reservation of lobby.

Free parking nearby on our studio lot.

**For additional information and screening reservations,
please call (323) 315-9460.**





T H E A T E R T E C H N O L O G Y

SIM2 HT5000 HD projector

3-chip DLP: TI's 0.95-inch 1080p DarkChip3 DMD chips

Contrast Ratio: 5000:1

5000 ANSI Lumens

Compatible with 720p, 1080i, 1080p/60 576p

Native Aspect Ratio: 1920x1080; 16:9

Video: PAL, SECAM, NTSC, NTSC4.43, PAL/M/N

Computer connections: VGA, SVGA, XGA, SXGA, SXGA+, UXGA, DVI

Toshiba HD-A35KU/HD DVD player

Output Resolutions: 480i, 480p, 720p, 1080i, 1080p

Decoders: DTS decoder, Dolby TrueHD, Dolby Digital, DTS-HD decoder, Dolby Digital Plus

Digital Audio Format: DTS digital output, Dolby Digital output

Connector Types: 1 Network (RJ-45), 1 Composite video output (RCA phono), 1

Component video output (RCA phono 3), 1 Audio output (RCA phono 2), 1 Digital audio

output (optical), 1 HDMI (19 pin HDMI Type A), 1 Audio output (RCA phono 6)

Sony BDP-S300 Blu-Ray Player

Output: 480i, 480p, 720p, 1080i, 1080p;

Decoders: DTS decoder, Dolby Digital

Digital Audio Format: DTS digital output, Dolby Digital output

Connector Types: 1 HDMI (19 pin HDMI Type A) - Rear, 1 SPDIF output (RCA phono) -

Rear, 1 S-Video output (4 pin mini-DIN) - Rear, 1 SPDIF output (TOSLINK) - Rear, 1 Audio

line-out (RCA phono 2) - Rear, 1 Composite video output (RCA phono) - Rear

iScan VP50 Pro Video Processor

Analog Output: YPbPr, RGBHV, RGsB, RGsB

Digital Outputs: RGB 4:4:4, YCbCr 4:2:2, YCbCr 4:4:4

Video Inputs: 480i-60, 480p-60, 576i-50, 576p-50, 720p-50/60, 1080i-50/60,

1080p-24/25/30/50/60

Video Formats: NTSC, PAL, PAL-M, SECAM,

Audio Inputs: Optical digital, Coaxial digital, Analog, HDMI 1.3

Audio Outputs: HDMI 1.3

Controls: Aspect Ratio, Deinterlacing, Brightness, Contrast, Saturation, Hue, CUE,

Y/C Delay, Mosquito Noise, Edge, Detail, Color Space

Sony HMVU25 SD/HD, DV SP/DVCAM Player

HDV 1080i

Layout/Down Formats: 1080/60i, 1080/50i, 480/60i (NTSC), 576/50i (PAL),

480/60P, 576/50P, 720/60P, 720/50P

Signals: NTSC/PAL, 1080i Digital i.Link, 720p Analog Component

Tape Formats: HDV, Mini DV SP, Mini DVCAM

Connector Types: 1 Component video output (BNC 3) - Rear, 1 Composite video input

(BNC) - Rear, 1 Composite video output (BNC) - Rear, 1 Audio line-in (RCA phono 2) -

Rear, 1 Audio line-out (RCA phono 2) - Rear, 1 S-Video input (4 pin mini-DIN) - Rear,

1 S-Video output (4 pin mini-DIN) - Rear, 1 HDMI output (19 pin HDMI Type A) - Rear,

1 IEEE 1394 (FireWire/i.LINK) (4 pin FireWire) - Rear, Remote control) - Rear

MacBook Pro Laptop to screen your .MOV, .MP4 and .WMV files

Video: NVidia GeForce 8600m GT

Supports Resolutions at 1920 x 1200 & 1680 x 1050

Media can be supplied over the network or on External HDs

800 Firewire and USB 2.0 connectors for External HDs

Marantz SR8001 AV Surround Receiver

Audio Decoders: THX, THX Surround EX, DTS, DTS Extended Surround, DTS Neo:6,

Dolby Digital, Dolby Digital EX, Dolby Pro Logic II, Dolby Pro Logic IIx